## NO. 205BPIMU

## THIS MANUAL IS FORMATTED FOR LEGAL SIZED PAPER (8 1/2" X 14") SHRINKING THE DOCUMENT TO FIT ON LETTER SIZED PAPER (8 1/2" X 11") WILL RESULT IN AN INCORRECTLY SIZED TEMPLATE


CUT HOLE IN VENDOR DOOR FOR MOUNTING OF VALIDATOR (SEE INSTRUCTIONS WITH VALIDATOR) AFTER CUTTING HOLE CLOSE DOOR & LOCK. USING A PENCIL USE THE HOLE YOU CUT AS A TEMPLATE, MARK THE SAME HOLE ON THE BARRIER PANEL. (FIG. 1)


FOLLOWING INSTRUCTIONS ON TEMPLATE, CUT OUT BARRIER PANEL. REMOVE INSULATION & INSTALL BARRIER INSERT (205BPIMU), MARK MOUNTING HOLES. USE 1/8" DRILL INSERT WITH TEN 6"X1/2" SELF TAP SCREWS (PROVIDED). SEAL EDGES WITH WEATHER STRIP (PROVIDED).

INSTALL VALIDATOR, CHECK CLEARANCE OF VALIDATOR INTO BARRIER INSERT.

## \*\*PARTS\*\*

1 BARRIER INSERT 205BPIMU 10 6"X1/2" SELF TAP SCREWS 40" WEATHER STRIP (SEAL) 1 TEMPLATE WITH INSTRUCTIONS








2062 E. 70TH STREET, CLEVELAND, OH 44103 (216) 361-1022 OR TOLL FREE (800) 445-8363

FIG.1




## THIS MANUAL IS FORMATTED FOR LEGAL SIZED PAPER (8 1/2" X 14") SHRINKING THE DOCUMENT TO FIT ON LETTER SIZED PAPER (8 1/2" X 11") WILL RESULT IN AN INCORRECTLY SIZED TEMPLATE



2062 E. 70TH STREET, CLEVELAND, OH 44103 (216) 361-1022 OR TOLL FREE (800) 445-8363

VENDING, INC.

CUT ON LINE



**CUT ON LINE** 

CUT ON LINE

CUT ON LINE

**CUT ON LINE** 

CUT ON LINE