BevMax Picker Cup Magnetic Sensor Retrofit Kit

Read and Follow ALL Safety Instructions

Safety Overview

- Read and follow ALL SAFETY INSTRUCTIONS in this manual and any warning/caution labels on the unit (decals, labels, or laminated cards.)
- Read and understand ALL applicable OSHA (Occupational Safety and Health Administration)
 safety regulations and/or national and local codes before operating this unit.

Recognition



Recognize Safety Alerts

This is the safety alert symbol. When you see it in this manual or on the unit, be alert to the potential of personal injury or damage to the unit.

Different Types of Alerts



Indicates an immediate hazardous situation while, if not avoided, **WILL** result in serious injury, death, or equipment damage.



Indicates an immediate hazardous situation while, if not avoided, **COULD** result in serious injury, death, or equipment damage.



Indicates an immediate hazardous situation while, if not avoided, **MAY** result in serious injury, death, or equipment damage.

Tools Required

None

Parts Included

| Quantity | Description | Image |
|----------|------------------------------------|-------|
| 1 | BevMax 2/BevMax 3 Magnet Holder | |
| 1 | BevMax 4/BevMax 6 Magnet Holder | |



This kit is **NOT** compatible with the Dixie Narco/Crane BevMax Picker Cup Magnet Home Switch Upgrade Kit.

The use of this kit in addition to the Dixie Narco/Crane kit could result in damage to the kit components and/or the machine as a whole.

Installation for BevMax 2/3 Machines




Step 1:

Ensure the Picker Cup gantry is clean and clear of any debris or syrup that may be present.




Step 2:

Insert the BevMax Magnet Holder at a slight angle, with the overhang of the gantry meshing into the top of the holder.



Step 3:

Push the BevMax Magnet Holder back into the gantry; it should be a tight fit. The holder should mesh flat with the overhang and bottom of the gantry. The small dome on the bottom of the holder should slip into the left-most hole, securing it in place.



Step 4:

Ensure the BevMax Magnet Holder is secure in its position and **flush with the gantry edge**.

Installation for BevMax 4 & 6 Machines



Step 1:

Ensure the Picker Cup gantry is clean and clear of any debris or syrup that may be present.



Step 2:

Place the BevMax Magnet Holder into the gantry, inserting the protruding cylinder into the hole and **ensuring it lays flat**.